2 BE 3

3rd Seat for Open Loaders



2 BE 3

3rd Seat for Open Loaders



Contents

Included with 2 BE 3

- (1) Back Rest Support
- (1) Back Rest
- (1) Seat Support
- (1) Mini Soft Spot
- (1) Seat Belt
- (8) M5 x 25 mm Button Head
- (4) M8 x 20 mm Button Head
- (8) M5 Washers

Sold Separately

(1) Bamboo Box

Compatibility

SuperCargo

Required for installation


4 mm Allen Key

5 mm Allen Key


Installation Instructions

Make sure you have all of the proper components found in the contents section above before starting the installation process for the 2 BE 3. These instructions will help guide the installer once the Bamboo Box has already been installed.


Step 1: Remove Bolts seen below





Step 2: Seat Support




Step 3: Back Rest Support








Step 4: Mini Soft Spot



Step 5: Lower Seat belt












Step 6: Upper Seat belt








Step 6: Adjustable Back Rest (Option A & Option B)





2 BE 3

3rd Seat for Open Loaders



Warnings and Safety Precautions

General warnings

- **WARNING!** Failure to comply with these instructions may lead to serious injury or death.
- WARNING! Riding with an additional passenger may alter the riding characteristics of your bicycle, decrease stability, and increase braking distances.
- WARNING! Never leave a child unattended on a bicycle.
- WARNING! Do not use with children who are too small or cannot balance/ support their own weight independently.
- Do not allow passengers body, clothing, shoe laces or other personal items to come in contact with moving parts of the bicycle.
- Passenger should remain seated while bicycle is in motion.
- Ensure passenger is wearing an approved bicycle helmet.
- Never ride in inclement or hazardous situations.
- Ensure a rear reflector is installed and visible when a passenger is aboard.
- Never ride a bicycle at night without adequate lighting.
- Presence of an additional passenger may require alteration of the method used by the rider to mount or dismount the bicycle. Care must be taken whenever the rider gets on or off the bicycle.

Additional hardware and component warnings

- **WARNING!** Check seat belt for signs of distress regularly. If the seat belts show signs of distress, order replacement parts immediately.
- WARNING! Check bolts for loosening or signs of distress regularly. If bolts
 or threads show signs of distress, order replacement parts immediately.

For questions or support please contact your local Yuba Bicycles dealer or email info@yubabikes.com.

